


E2 DATA SHEET

SPECIFICATIONS & PERFORMANCE

2" Bolted Metal – ATEX with Metal Center Section

PERFORMANCE



SPECIFICATIONS

Flow Rate

Adjustable to . . .0-160 gpm (606 lpm)

Port Size

Suction

2" ANSI Flange (DIN Compatible)

Discharge

2" ANSI Flange (DIN Compatible)

Air Inlet 1/2" NPT

Air Exhaust 1" NPT

Suction Lift

Dry 14' (4.3 m)

Wet 30' (9.1 m)

Max Solid Size (Diameter)


. 1/4" (6 mm)

Max Noise Level 94 dB(A)

Shipping Weights

Stainless 114 lbs (51.7 kg)

Cast Iron 113 lbs (51.2 kg)



VERSAMATIC®

Warren Rupp, Inc. | A Unit of IDEX Corporation
800 North Main Street | Mansfield, OH 44902 USA
Phone: 419.526.7296 | Fax: 419.526.7289

VERSAMATIC.COM

e2mdlCdsATEXMB-rev0519

©Copyright 2019 Warren Rupp, Inc. All Rights Reserved.

E2 DATA SHEET

SPECIFICATIONS & PERFORMANCE


2" Bolted Metal – ATEX with Metal Center Section

DIMENSIONS

E2 Bolted Metal - Optional Horizontal Discharge

Dimensions in inches (mm dimensions in brackets)


The dimensions on this drawing are for reference only. A certified drawing can be requested if physical dimensions are needed.



E2 Bolted Metal - Vertical Discharge

Dimensions in inches (mm dimensions in brackets)

The dimensions on this drawing are for reference only. A certified drawing can be requested if physical dimensions are needed.



VERSAMATIC®

Warren Rupp, Inc. | A Unit of IDEX Corporation
800 North Main Street | Mansfield, OH 44902 USA
Phone: 419.526.7296 | Fax: 419.526.7289

VERSAMATIC.COM

e2mdlCdsATEXMB-rev0519

©Copyright 2019 Warren Rupp, Inc. All Rights Reserved.

E2 DATA SHEET

SPECIFICATIONS & PERFORMANCE

2" Bolted Metal – ATEX with Metal Center Section


DIMENSIONS

E2 Bolted Metal

Dimensionally Interchangeable with Versamatic Clamped Pump

Dimensions in inches (mm dimensions in brackets)

The dimensions on this drawing are for reference only. A certified drawing can be requested if physical dimensions are needed.




E2 Bolted Metal

Dimensionally Interchangeable with Wilden Clamped Pump

Dimensions in inches (mm dimensions in brackets)

The dimensions on this drawing are for reference only. A certified drawing can be requested if physical dimensions are needed.



VERSAMATIC®

Warren Rupp, Inc. | A Unit of IDEX Corporation
800 North Main Street | Mansfield, OH 44902 USA
Phone: 419.526.7296 | Fax: 419.526.7289

VERSAMATIC.COM

e2mdlCdsATEXMB-rev0519

©Copyright 2019 Warren Rupp, Inc. All Rights Reserved.